





HDG water tank series

Company information

https://www.hltankchina.com/

Dezhou Huili Environmetal Technology Co., Ltd.

- 20 years production experience.
- Fastest & attentive service.
- Strict quality standards.





Factory

Office

Contents

HDG water tank introduction

2 Accessories

3 Product improvement

Company capability

HDG water tank introduction

HDG water tank introduction

https://www.hltankchina.com/

Raw material: hot dip galvanized steel

Panel size: 1.22x1.22m, 1x1m, 1x0.5m, 0.5x0.5m

Panel thickness: 2mm-5mm

Process technique: ramming craft

Connection type: Bolt &nut

Foundation: Concrete foundation and U-steel bottom base

Accessories: Leaking stoppage, tie rods support rods, flanges, sealing gaskets, rubber

strip, screws, ladders, washers, angle iron, fasten clamp


Application: Various industries, civil water supply, HVAC, firefighting, food, beverage,

vintage, water treatment, medicine, petroleum, chemical and so on.












Structure Analysis



	Thickness of each panel (mm)						
Tank Height (mm)	bottom panel	1st layer side panel	2nd layer side panel	3rd layer side panel	4th layer side panel	5th layer side panel	cover panel
1000	3	3	/	/	/	/	
1500	3	3	3	/	/	/	
2000	3	3	3	/	/	/	
2500	4	4	3	3	/	/	2
3000	4	4	3	3	/	/	
3500	4	4	3	2.5	2.5	/	
4000	5	5	4	3	2.5	/	
5000	5	5	5	4	4	3	





Project Photoes











Accessories

Accessories







Manhole



Tie rods



Support rods



Ladders



U-steel base



Water level meter

Accessories




Lacing board bolts



Corner block bolts



Rubber sealing



Flanges



Rubber Gasket



Bolts & nuts



Ladder clamps



Lacing boards

https://www.hltankchina.com/

01

Rubber strip








Improvement	Ordinary black — food grade white
Aim	Healthy

https://www.hltankchina.com/

02 Cushion ring



Improvement	Electric galvanizing
Aim	Better anti-corrosion







Improvement	Four angle welding and polishing ——>Integral forming
Aim	High strength and beautiful appearance


https://www.hltankchina.com/

04

U-steel base



	Improvement	Surface process: Red paint Optional black paint, hot galvanizing, red paint		
		Connection way: Electric welding ——>Optional bolt, electric welding		
	Aim	Better anti-corrsion, easier intallation		




Improvement	Ordinary plastic ——> Optional paint buoy level meter, magnetic level gauge, ordinary plastic
Aim	Meet different requirement

https://www.hltankchina.com/

06

Package solution











Improvement	Ordinary naked ——> Optional plywood, iron frame, naked package
Aim	Maximize customer benefits; save costs, protect goods

Company Capacity

Company capability

https://www.hltankchina.com/



Production capability: 200 pieces per day.

Customer visits times: more than 60 times.

Superlative services: 2 years follow-up service.



Certificates


https://www.hltankchina.com/








ISO certificate



organization code certificate

Sales net



Customer group photoes



